

20 23

TECHNICAL GEAR
HIRE
0800 15 77 189
UK WIDE DELIVERY

Artistic Solutions

HIRER

Get in touch:

Tel: 0800 15 77 189

www.artisticsolutions.co.uk

Our Team

Meet the team at Artistic Solutions :)

We have a collective talent consisting of technical, administrative and event staff which make our super business the perfect equipment supply partner for your next performance.

Jo Brobbel

MANAGING DIRECTOR

Alison Ewen

ADMINISTRATION ASSISTANT

Daniel Brobbel

MARKETING & DESIGN

Lewis King

WAREHOUSE TECHNICIAN

Michael Meaney

TECHNICAL MANAGER

Mark Hand


AUDIO ENGINEER

Declan Doyle

LIGHTING DESIGNER

Ryan McAllister

APPRENTICE TECHNICIAN



Hello

Thank you for picking up one of our catalogues.

After the successful launch of our illustrated guide in 2022, we decided it would be a great idea to create a catalogue which could be downloaded from our website or sent via email, however sometimes you just need a paper copy.

Throughout this catalogue you will notice that each page or product has a QR code which will take you directly to the product on our website along with any relative equipment information. This unique feature will enable you to check equipment availability, look at user manuals and fill up a flight case.

We look forward to playing a part in your performance :)

Jo



We have recently invested over £200k into our new Prolights DeltaPix LED video wall and hardware which includes supporting structures, we have also doubled up on our RCF PA equipment.

This procurement has been eagerly awaited after several years of trying to find the right products to suit the needs of our clients.

2023/24 will see further investment into our hire stock.



Seaham High School, Matilda 2022, Prolites DeltaPix 4.8mm



Artistic Solutions are based in the North East, collection in person is great and whilst we love to meet our clients most of them live outside of our region and often prefer to receive a delivery.

We deliver equipment throughout the UK every single week.



Artistic Solutions HIRE Tel: 0800 15 77 189 www.artisticsolutions.co.uk	CLIENT	
	VENUE	
	JOB No.	
	OUT	IN
CONTENTS	Free Delivery? Just ASK How?	
<small>An Original PRL™ Label www.lemark.co.uk</small>		

Product name

ROBE LEDBeam 150™

"The spectacular zoom range of 3.8° to 60° uses an eminent custom-designed optical system, Attractive colourful chases and smooth transitions are powered by a cluster of high power multichip 40W RGBW LEDs."

Product description



Power - 220w



Unit weight - 5.7kg



DMX channel - 16 - 22




User manual

Product details



Scan QR code


View product online



Manual Spec Safety info



View product




Select options



Add to flight case

Equipment



Lighting
9-19




Power
20-22




Audio
23 - 32



Effects
33-38



Stage, Truss & Rigging
39-51



Video
52-54

ROBE **T11 Profile MFS™ (Follow Spot)**

"The MSL-TE™ 350W LED Engine generating over 12,000 lm from the fixture.

This multi-spectral LED technology provides identical colour characteristics, responses, and control of T series luminaire, to give absolute colour consistency across your Robe lighting installation.

High-definition optics deliver precise projection, and the extreme, wide-ranging 10:1 ratio 5-50° zoom range, from its single, integral lens tube, without additional lens tubes or optical variants, makes it a highly flexible follow spot solution.

Our innovative manual shuttering system, functioning as an internal barn door, is both accurate and easy to use. Fitted in the fixture is a manual 1° MagFrost™ for instant softening, with a 5° MagFrost™ stored on the magnetic holder within the fixture"



Power - 350w



Unit weight - 13.6kg



User manual



ROBE LEDBeam 150™



Power - 220w



Unit weight - 5.7kg



DMX channel - 16 - 22



User manual



ROBE LEDBeam 350™



Power - 450w



Unit weight - 19.9kg



DMX channel - 16 - 24



User manual



ROBE Cuete™



Power - 220w



Unit weight - 12.2kg



DMX channel - 29



User manual



ROBE T11 Profile MFS™



Power - 350w



Unit weight - 13.6kg



DMX channel - 18 - 28



User manual





COLORado Panel Q40 RGBW LED Wash (IP65)



Power - 600w



IP65



Unit weight - 12.8kg



DMX channel - 4 - 22



User manual



WELL Panel Battery-Powered LED Wash Panel (IP65)



Power - 124w



IP65



Unit weight - 10.3kg



DMX channel - 4 - 21



User manual



COLORBand Q4 IP Linear Wash



Power - 86w



IP65



Unit weight - 5.35kg



DMX channel 4 - 22



User manual



Active Sunstrip DMX



Power - 500w



Unit weight - 6.3kg




DMX channel - 1 - 10



User manual



ROXX[®] CLUSTER B2 FC



Power - 620w



IP65



Unit weight - 10.5kg



DMX channel - 1 - 41



User manual



Q.8 DualSource Strobe / Flood / Pixel / Blinder



Power - 630w



IP66



Unit weight - 12.1kg



DMX channel - 10 - 52



User manual



ADJ 7P HEX IP RGBAW+UV



Power - 63w



IP65



Unit weight - 3.3kg



DMX channel - 6 - 13



User manual



ADJ 18P HEX IP RGBAW+UV



Power - 216w



IP65



Unit weight - 6.1kg



DMX channel - 6 - 13



User manual





The Hammond School, Chester 2019



The Hammond School, Chester 2019

ETC Source Four Fresnel



Power - 750w



Unit weight - 4.2kg




ETC Source Four Parcan



Power - 575w



Unit weight - 3.6kg



ETC Source Four Profile



Lens tube option for 19°, 26°, 36°, 50°



Power - 750w



Unit weight - 7.5kg



Selecon Hui Flood 500w



Power - 500w



Unit weight - 4.1kg





Town Hall Theatre 2018



Town Hall Theatre 2019

SEARCH LIGHT

Hollywood 5kw Search Light

*Huomongous
Lights*



Power - 5kw



IP55



Unit weight - 72kg



Big 6 project 2021

Effects Lighting



- LEDJ UV 100W COB flood
- Chauvet Freedom sticks
- Martin Atomic 3000 LED strobe
- Martin Atomic strobe
- City Theatrical egg strobe single unit with ES fitting
- Equinox flame machine 1.5m RGB/DMX
- Mirror ball with rotator 20"
- ADJ Element Hex uplighter - IP54



Studio Due

— — — — —
emotion and creativity in light



- The CityColor LED is suitable for applications where a powerful and large light output is required. With 47,000 lumens the compact CityColor LED is particularly useful for use on tours, festivals, large events, in theatres and for film and TV studios.




Power - 600w



IP64



Unit weight - 32kg



Alternative lighting desks are also available

Avolites Quartz Compact Lighting Console



Power - 80w



Unit weight - 8kg



User manual



Avolites Tiger Touch II Lighting Console



Power - 80w



Unit weight - 15.2kg



User manual



Avolites Powercube Power Rack



Power - 12 x 2kw (3ph - 63A)



Unit weight - 43kg



DMX channel - 12



User manual



WDMX White Box TX/RX



Power - 5w



IP65



Unit weight - 1.1kg



Range - 700m




User manual





Durham Cathedral 2022



DMX Signal Cables

5 PIN

3 PIN

1m

1m

5m

5m

10m

10m

20m

20m

30m

30m



Swisson DMX Tester

Simplify the debugging of lighting and installations or any application where DMX is used to control lighting.

- DMX receiver
- DMX transmitter
- RGB LED control
- Moving light control
- Cable tester
- Channel tracer
- Dip-switch display
- Programmable





Single Phase

13 Amp 220v leads

- 5m 13A 220v 2.5mm lead
- 10m 13A 220v 2.5mm lead
- 20m 13A 220v 2.5mm lead

15 Amp 220v leads

- 5m 15A 220v 2.5mm lead
- 10m 15A 220v 2.5mm lead
- 20m 15A 220v 2.5mm lead

16 Amp 220v leads

- 5m 16A 220v 2.5mm lead
- 10m 16A 220v 2.5mm lead
- 20m 16A 220v 2.5mm lead

32 Amp 220v leads

- 5m 32A 220v 4mm lead
- 10m 32A 220v 4mm lead
- 20m 32A 220v 4mm lead

63 Amp 220v leads

- 10m 63A 220v 6mm lead
- 20m 63A 220v 6mm lead



Power Accessories

- 16A - 3x 16A adapter
- 16A - 4x 13A adapter
- 13A - 1x 16A adapter
- 16A - 1x 13A adapter
- 15A - 2x 15A splitter
- 13A - 1x IEC adapter
- 15A - 1x IEC adapter
- 16A - 1x IEC adapter
- 32A - 6x 16A breakout box



Three Phase

32 Amp 415v leads

- 5m 32A 415v 10mm lead
- 10m 32A 415v 10mm lead
- 20m 32A 415v 10mm lead

63 Amp 415v leads

- 5m 63A 415v 16mm lead
- 10m 63A 415v 16mm lead
- 20m 63A 415v 16mm lead

63 Amp Distribution Box

- 1x 63A 415v 3PH+N+E appliance inlet
- 3x 32A 240v 1PH+N+E sockets
- 12x 16A 240v 1PH+N+E sockets
- 3x 63A SP MCBs
- 3x 63A 30ma DP RCDs
- 3x 32A SP MCBs
- 12x 16A SP MCBs
- 1x Set incoming LEDs



"Keep everyone safe
at your event"

Cable Guard

- 2 channel
- 5 channel
- 1m length



Trip Hazard Cone

- Sturdy, stackable, stand-alone cones that won't blow over in the wind!



Socapex Power Cables



2.5mm Socapex power cables available in various lengths with plugs and sockets of variable types

10m

20m

30m



instagrid



Do you need portable, silent and local emission free 230V power? Whether your using lights, PA systems or camera equipment the Instagrid ONE has you covered.

With exceptional run times this battery alternative is the perfect solution for either internal or external remote locations.

The unit has a rated power output of 3600w



Unit weight 20kg



IP65



User manual



Images courtesy of Neil Instagrid



Durham Cathedral 2022



Greatest Hits Radio Stage 2022

RCF HDL 6 - A



Power 700 watt RMS



Unit weight - 11.6kg



User manual



RCF HDL 20 - A



Power 700 watt RMS



Unit weight - 30.26kg



User manual



RCF Sub 8004 - AS



Power 1200 watt RMS



Unit weight - 51kg



User manual



RCF Sub 8006 - AS



Power 2500 watt RMS



Unit weight - 90kg



User manual



RCF NX - 12 SMA Monitor



Power 700 watt RMS



Unit weight - 16.6kg



User manual



RCF HD 32A



Power 700 watt RMS



Unit weight - 18.8kg



User manual



RCF Speaker Accessories



- Fly frame suitable for 16x HDL 20-A modules
- Truss clamp HDL 20-A truss adapter for fly bar HDL 20-A
- Fly bar pickup for HDL 20-A fly bar
- Rain protector for HDL 20-A modules
- Fly bar HDL 6-A for HDL 6-A module
- Truss clamp HDL 6-A truss adapter for fly bar
- Fly bar pickup for HDL 6-A fly bar



Sound Desks

- Soundcraft EPM 6 sound desk
- Soundcraft EPM 12 sound desk
- Allen & Heath MixWizard
- Allen & Heath QU16
- Allen & Heath QU32



Allen & Heath SQ5 Sound Desk



- 96kHz FPGA processing 48 input channels
- DEEP processing ready 17 faders / 6 layers
- 12 Stereo mixes LR 3 stereo matrix 8
- Stereo FX engines dedicated returns 64ch
- I/O Port for audio networking



Unit weight - 14kg



Power - 150w



User manual

Allen & Heath SQ7 Sound Desk



- 96kHz FPGA processing
- 48 Input channels
- 32 Onboard preamps
- DEEP processing ready
- 12 Stereo mixes + LR
- 3 Stereo matrix
- 8 Stereo FX engines + dedicated returns
- 64ch I/O port for audio networking



Unit weight - 17.5kg



Power - 150w



User manual



AR84 Stage Box

- 8 XLR mic / line inputs
- 4 XLR line outputs (L/R)
- Cat5 socket



AR2412 Stage Box

- 24 XLR mic / line inputs
- 12 XLR line outputs (L/R)
- Cat5 socket



User manual

Allen & Heath GX4816 Stage Box

- Compatible with SQ, Avantis, AHM-64 and dLive
- 48 Mic preamps
- 16 XLR line outs
- 96kHz operation
- DX1 Port
- DX2/ME port



User Manual



XLR Signal Cables



1m

5m

10m

20m

30m



Neutrik Jack Leads




1m

3m

10m



Main Stage Hartlepool Waterfront Festival 2019



Artistic Solutions Ltd, RCF NX-SMA12 Monitor

Mic Bundles

Audio

Super Duper



4 way kit



16 way kit



24 way kit



Radio Microphones

- Sennheiser single G4 100
- Sennheiser 4-way G4 100 rack
- Sennheiser 8-way G4 100 rack



- Handheld
- Lapel microphones
- Headset microphones
- BNC leads
- XLR looms & leads



- Sennheiser paddle antenna A1031-U
- Sennheiser paddle antenna A2003
- K&M paddle stand
- K&M short paddle stand





Drum Screen



Comms

- Tecpro BP511 belt pack
- Tecpro power supply PS753
- Tecpro single headset
- Altair wireless comms 200HD
- Motorola XT460 event radios



- 6 Panel 5FT drum screen

DI Boxes

- Radial Engineering Pro DI (passive)
- Radial Engineering Pro 48 (active)
- Radial Engineering USB-Pro
- Radial Engineering Pro AV2

Playback

- That Little Box USB go box
- Tascam CD player CD-200



Microphones

- SHURE SM58
- SHURE SM57
- SHURE BETA 58A
- SHURE BETA 57A
- SHURE BETA 52A
- AKG C414
- AKG C451B
- Sennheiser gooseneck MEG14-40
- AKG drum set session one kit
- Rode NTG2 short shotgun mic



Microphone Stands

- K&M 27105 (boom stand)
- K&M 25950 (short stand)
- K&M 23250 (table stand)
- Gravity MS23XLR with built in XLR
- Round base microphone stand



Speaker Stands

- K&M speaker stand 50kg SWL
- K&M speaker stand round
- RCF fly-bar HDL 6-A speaker
- RCF fly-bar HDL 20-A speaker
- Global Truss line array speaker tower

Stage Multicore

- 50m and 75m cable drum
- 2x RJ45 Neutrik-etherCON connectors



Audio Leads

- Mini jack lead 3.5mm
- Neutrik 2-pole speakon cable
- Neutrik MA3 F/F converter/adaptor
- Neutrik MA3 M/M converter/adaptor



Kate Sirs School of Music School 2018



Kate Sirs School of Music School 2018

RATstands

Classic Opera Stand Since 1976

- Designed with the orchestra pit in mind, the Opera Stands wire tray is acoustically neutral and the L shape base allows musicians to stand close to the stand, which saves space. First produced in 1976, it is still the only music stand on the market to feature an integral light.



Unit weight 5.9kg



Opera Stand

Opera Conductor's Stand

- The Opera Conductor's Stand has a tray large enough for the biggest opera score. Designed with the orchestra pit in mind, this stand has a warm touch, chip resistant black finish and is acoustically neutral.



Unit weight 13kg



Conductor Stand

Professional Opera chair

- A chair for professional musicians, giving excellent lumbar support with adjustable seat angle.



Unit weight 8.3kg



Opera Chair



Billingham International Folklore Festival, Stockton on Tees 2019



Festival of Mess with DJ Snake Eyes 2018



MagicFX Power Shot

MagicFX Power Shot



Streamer's sold separately



Power - 100w



Unit weight - 1.7kg



User manual



MagicFX Shot Base



Streamer's sold separately



Power - 400w



Unit weight - 9.7kg



DMX channels - 5



User manual



MagicFX Swirl Fan XL



Confetti sold separately



Power - 850w



Unit weight - 19kg



User manual



MagicFX DeeJay Shotgun



Streamer's sold separately



Power - 2x 9v (PP3)



Unit weight - 2.6kg



User manual



MagicFX Stage Flame



Stage flame can sold separately



Power - 100w



Unit weight - 11.5kg



DMX channels - 2



User manual



MagicFX Power Drop



Power - 100w



Unit weight - 1.7kg



User manual



MagicFX Big Red Button



Power - max 3600w



Unit weight - 1.2kg



User manual



MagicFX FX-COMM4NDER



Power - max 3600w



Unit weight - 2.95 kg



User manual



MagicFX Baseplate II



Unit weight - 6.8kg



Le Maitre Pro Stage Six Way



Power - 2x 9v (PP3)



Unit weight - 2.5kg



Le Maitre One Shot



Power - 1x 9v (PP3)



Unit weight - 500g



Le Maitre Angle Pod



Unit Weight - 1.5kg



Le Maitre Flash Pod



Unit Weight - 1kg



Jem Glaciator X-Stream Low Fog



Power - 3600w



Unit weight - 110kg



DMX channels - 2



User manual



Jem ZR25 / ZR45 Smoke Machine



Power - 1100w



Unit weight - 13.7kg



DMX channels - 2



User Manual



Look Solutions Unique Hazer 2.1



Power -1500w



Unit weight - 10kg



DMX channel - 2



User manual



Snowboy SP Snow Machine with oscillator



Power - 400w



Unit weight - 8kg





Redcar & Cleveland Borough Council 2019



Hartlepool College of Further Education 2022

Prolyte 1m x 1m Stage Dex



Unit weight - 17kg



Prolyte 2m x 1m Stage Dex






Unit weight - 36.5kg



Prolyte Stage Accessories

- 1m handrail
- 2m handrail
- 500mm stage ramp
- Deck to rail adapter
- Deck to deck clamp
- Steps 0.2m - 1m

- Leg to leg clamp
- Stage legs
- Deck leveller
- Stage skirt
- Rail cover 1m & 2m
- Step rail





Greatest Hits Radio stage, Middlesbrough Party in the Park 2022 (Lumex 8m x 6m stage)



Miles for Men race day 2022 (Lumex 8m x 6m stage)



Hartlepool Waterfront Festival, campfire stage 2022 (Branded PA wing)



Hartlepool Waterfront Festival 2021 (Branded PA wing)



Middlesbrough Party in the Park 2018 (Lumex 8m x 6m stage)

Event stage

Stage



Lumex Outdoor Stage 8m x 6m

Quick
build



"Our trained technicians will deliver and build this great looking stage for your event, the stage is exceptional and offers great value for money"




70 km/h



8cm



3hr



Technicians





Greatest Hits Radio stage, Middlesbrough Party in the Park 2022



Hartlepool Waterfront Festival, campfire stage 2022



Hartlepool Waterfront Festival, campfire stage 2022



Snake Eyes Doll Festival 2021



Middlesbrough Party in the Park 2018



Crowd barrier-1m standard unit

- The standard unit is part of our lightweight crowd control system. They can be bolted together to create an anchored barrier fence that will remain in place.



Unit weight 40.3kg



Standard

Crowd barrier-1m cable cross

- Cable access unit provides an easy and convenient pathway through the barrier fence for cables, hoses and ducts.



Unit weight 45kg



Cable Entry

Crowd barrier-1m gate

- Gate access unit, which provides both convenient gate access and a slot for running cabling through the barrier fence.



Unit weight 45kg



Gate Section



Rubber Matting

- 3mm rubber matting, 10 x 1.2m roll, fluted ideal for walkways and covering cables at events and exhibitions, this can also be used with the crowd barrier to provide an anti slip surface.



Artistic Solutions Ltd, rigging/truss



Artistic Solutions Ltd, rigging/truss


Global Truss Truss Lengths & Base Plates



- Global Truss F34050 truss 0.5 m straight length (4.9kg)
- Global Truss F34100 truss 1.0 m straight length (7.5kg)
- Global Truss F34200 truss 2.0 m straight length (12.5kg)
- Global Truss F34300 truss 3.0 m straight length (18.0kg)
- Global Truss 27195 base plate multi 80 x 80cm (36.0kg)
- Global Truss F34 base plate (1.0kg)

Global Truss Shapes and Angles

- Global Truss F34C30 90° corner (11.5kg)
- Global Truss F34T35 T-piece (7.8kg)
- Global Truss F34C21 90° corner (6.0kg)
- Global Truss F34T40 T-piece (9.5kg)
- Global Truss F34 multi box corner (5.6kg)
- Global Truss F34C41 cross (8.8kg)



Global Truss Specialist Elements

- Global Truss 5050 corner brake 1.0m
- Global Truss 5051 corner brake 2.0m
- Global Truss 180° degree book corner
- Global Truss F34 topblock
- Global Truss 5029R hinge element
- Global Truss 5029L hinge element
- Global Truss F34BS base new style steel
- Global Truss outrigger 150cm
- Global Truss glass holder 10 - 16mm
- Global Truss screw jack long 50cm



Global Truss Accessories

- Global Truss hammer
- Global Truss 5003 half cone M10 F34
- Global Truss 5002 conical connector
- Truss pins & clips



Global Truss Line Array Speaker Tower (LA500)

- Max windspeed: 20m/sec
- Maximum height: 7.9m
- Maximum load height: 7.5m
- Maximum load: 500kg (with 130kg ballast)
- Weight: 236kg



Prolyte X30D

- Prolyte truss X30D-L050 0.5m straight length
- Prolyte truss X30D-L100 1m straight length
- Prolyte truss X30D-L200 2m straight length
- Prolyte truss X30D base plate
- Prolyte X30D-C012 3-way corner
- Prolyte X30D-C007 2-way corner 90° apex down




Rigging Hardware

- Doughty tank trap 600mm x 600mm
- Doughty black 48mm Tube 1m, 2m, 3m,
- Doughty stage weight 12.5kg
- Doughty beam clamp SWL1000kg
- Doughty 48mm tube coupler
- Doughty swivel clamp 48mm
- Doughty scenery brace 2m - 4m
- Doughty safety bonds 5kg, 15kg, 20kg, 36kg
- Global truss self lock hook easy clamp 125kg
- Road crew chain block 1000kg
- 2m round sling 2000kg



Global Truss Box Sleeve



Unit weight - 35kg




Global Truss Pulley Top




Unit weight - 15.8kg



Global Truss Ground support





Global Truss Line Array Speaker Tower

- Max windspeed: 20m/sec
- Maximum height: 7.9m
- Maximum load height: 7.5m
- Maximum load: 500kg (with 130kg ballast)



2hr



70 km/h

"We can
deliver & build
this for you"



Truss & Rigging

Motor



Unit weight - 24kg



Motor Control



Unit weight - 21kg



Truss & Rigging



- Low power mode provides exceptional battery life
- Constantly monitors average wind speed
- Measures gusts at user defined periods
- Range of measurement 5 to 125 mph
- Powered by 2 x D Cell batteries or external power
- Units: mph, fps, km/h and m/sec
- IP67 rated

Wind logging



- 3 light warning indicator
- Audible alarm
- Full user control & configuration
- Use with LOG100
- 800m range
- IP67






Hartlepool Waterfront Festival 2022, Prolights DeltaPix 4.8mm



Northern School of Art 2022, Prolights DeltaPix 4.8mm

Prolights DeltaPix Video Wall 4.8mm (IP65)


- Prolights outdoor rental 4.8 mm LED screen 500mm x 500mm
- NovaStar VX4S



- Prolights DXHB01 fly bar 0.5m
- Prolights DXHB02 fly bar 1m




- Prolights DXGB01 ground support 0.5m
- ProlightsDXGB02 ground support 1m
- Prolights DXBS21 ground support frame
- Prolights DXBS41 ground support frame
- Prolights DXBSC fixing bracket
- Prolights DXFS01 floor system
- Prolights DXFS04 floor system



Switchers

- Blackmagic DesignATEM mini extreme
- Blackmagic Design ATEM mini pro
- Blackmagic Design design ATEM television studio pro 4K
- Kramer VP-728 presentation scaler/switcher
- Roland V-4EX 4 channel video switcher/mixer





Playback

- Denon DN-500BDMKII Blu-ray disc and media player



LED Screens & Stands

- 50" LED display screen
- 75" LED display screen
- Unicol Axia stand
- Unicol back to back stand



Fastfold Screen

- Fastfold screen 16:9 8ft x 4ft rear/front
- Fastfold screen 16:9 12ft x 6ft rear/front
- Fastfold screen 4:3 8ft x 6ft rear/front
- NEC UM301 UWL WGXA 3000 lumen projector
- Panasonic PT-EX500E 3LCD XGA 5000 lumen projector
- Infocus IN3138HDA DLP 4500 lumen projector
- Datapath FX4 video wall maker



Accessories & cables

- Zoom Q2N 4K stream camera kit
- Camera mounts & tripods
- Blackmagic Design Bi-Dir SDI-HDMI 3G micro converter
- Acrylic lectern
- HDMI leads
- SDI leads



Artistic Solutions are a leading provider of technical installation for schools, colleges, theatres and live event venues.

We specialise in theatre lighting, audio and curtains and offer a wide range of high-quality but cost-effective solutions to meet the needs of our clients.

Our technical installation services include design visuals, electrical installation and ongoing technical support. Our team of experienced technicians work closely with clients to design and install custom lighting and audio systems that meet their specific needs and budget.

Our electrical installation services are carried out by our team of highly skilled technicians who ensure that all systems are installed to the highest standards of safety and performance. We use only the best quality equipment and materials and our electricians are fully trained and certified to work on all types of electrical systems.

In addition to installation, we also provide ongoing technical support to ensure that our clients systems are always operating at peak performance.



National Museum of the Royal Navy, Hartlepool 2022

THE NATIONAL MUSEUM



National Museum of the Royal Navy, Hartlepool 2022



National Museum of the Royal Navy, Hartlepool 2022



National Museum of the Royal Navy, Hartlepool 2022



National Museum of the Royal Navy, Hartlepool 2022



National Museum of the Royal Navy, Hartlepool 2022



National Museum of the Royal Navy, Hartlepool 2022



National Museum of the Royal Navy, Hartlepool 2022



National Museum of the Royal Navy, Hartlepool 2022



National Museum of the Royal Navy, Hartlepool 2022



Beating Heart Middlesbrough, artist Stuart Langley, photograph by Ashley Foster



Beating Heart Middlesbrough, artist Stuart Langley



Beating Heart Middlesbrough, artist Stuart Langley



Beating Heart Middlesbrough, artist Stuart Langley, Avolites Quartz



Beating Heart Middlesbrough, artist Stuart Langley, Idal event player



High Tunstall College of Science



High Tunstall College of Science, BAM construction



High Tunstall College of Science, BAM construction



High Tunstall College of Science, BAM construction



Whinstone Primary School, Ingleby Barwick 2022




Whinston Primary School, Ingleby Barwick 2022



Whinstone Primary School, Ingleby Barwick 2022

must give these guys a
call 😊





Get In Touch



Artistic Solutions Ltd
Unit 17 & 18, Enterprise Court
Queens Meadow Business Park
Hartlepool
TS25 2FE

Tel: 0800 15 77 189
enquiry@artisticsolutions.co.uk
www.artisticsolutions.co.uk
[@artisolutions](https://www.instagram.com/artisolutions)
[#artisolutions](https://www.facebook.com/artisolutions)